

Biogeochemistry of Coccolithophore Blooms along the Continental Margin of the Northern Bay of Biscay

Lei CHOU

Laboratoire d'Océanographie Chimique et Géochimie des Eaux
Université Libre de Bruxelles



Eur-Oceans Final Meeting, Rome, 25-27 November 2008



Jérôme Harlay, Caroline De Bodt, Nathalie Roevros
Laboratoire d'Océanographie Chimique et Géochimie des Eaux



Alberto V. Borges, Kim Suykens, Bruno Delille
Unité d'Océanographie Chimique



Koen Sabbe, Nicolas Van Oostende
Protistologie & Aquatische Ecologie



Anja Engel, Judith Piontek, Nicole Händel
HGF-Young Investigators Group



Steve Groom
Remote Sensing Group



Sabine Schmidt
Environnements et Paléoenvironnements Océaniques

The PEACE Project

Objectives:


To evaluate the role in climate regulation of calcification, primary production and export processes during blooms of coccolithophores, an important group of calcifying phytoplankton.

Methodology:

To apply a transdisciplinary approach that combines process-oriented field investigations with laboratory experiments and modelling tools.

BELGICA BG2006/11 CRUISE

29 May – 10 June 2006




● Process-studies stations including CTD & water samples


○ CTD + Water Samples

Sea Surface Temperature

30 May – 01 June 06





03 -05 June 06






PML


Chlorophyll





Reflectance
















pCO₂ moist@13°C [μatm] @ Pressure [m]=Top





1st Leg
29 May – 3 June

pCO₂ moist@13°C [μatm] @ Pressure [m]=Top



2nd Leg
5 – 10 June





C fluxes in $\text{mmol C m}^{-2} \text{ d}^{-1}$

					Rate measurements			CO ₂ Fluxes					C fluxes	
Station	Date	Total depth (m)	Photic depth (m)	pCO ₂	GPP _p	CAL	PCR	GPP _p	CAL	PCR	Net CO ₂ flux based on metabolic rates	Net CO ₂ flux based on measured pCO ₂	Export	Aphotic C demand
5	02-juin	500	26	320	74.2	24.2	-	-74.2	14.5	-	-	-9.1	-	-
2	01-juin	558	31	306	130.8	51.7	81.3	-130.8	31.0	81.3	-18.5	-11.4	49.5	89.0
1	31-mai	157	30	265	74.2	7.5	73.7	-74.2	4.5	73.7	4.0	-17.8	0.5	98.2
4 (HR)	02-juin	163	26	293	43.3	13.3	78.9	-43.3	8.0	78.9	43.6	-13.4	-35.6	66.9
1bis	09-juin	158	37	273	43.3	15.8	103.5	-43.3	9.5	103.5	69.7	-16.1	-60.2	159.0
4bis (HR)	08-juin	159	27	307	41.7	12.5	101.2	-41.7	7.5	101.2	67.0	-10.7	-59.5	168.5
7 (HR)	07-juin	164	26	309	71.7	28.3	81.4	-71.7	17.0	81.4	26.7	-10.2	-9.7	35.1
8 (HR)	06-juin	178	34	325	25.0	13.3	104.3	-25.0	8.0	104.3	87.3	-8.5	-79.3	72.3

Harley et al.
(in preparation)Positive CO₂ flux : ↑Negative CO₂ flux : ↓Export = GPP_p - PCR



Effect of CO_2 on Natural Plankton Community








Station 2




Effect of CO_2 on Natural Plankton Community

flow rates and nutrients






HETEROTROPHIC BIOLOGY




Possible feedback mechanisms in response to increasing ocean acidification



- Rain ratio PIC:POC ↓
- Dissolution of carbonate ↑
- Negative feedback
- Ballast effect ↓
- TEP ↑ or ↓
- Microbial activity ↑
- Overall Export of C ↑ ? ↓ ?
- Other feedbacks ??
- Combined effect ??

Thank you for your attention.

ACKNOWLEDGEMENTS



Belgian Federal Science Policy Office

